

Post-N-Panel Systems




Post-N-Panels are functional both as a barrier and a prominent sign display. Post-N-Panels easily integrate with RETRACTA-BELT® posts to create a rigid, secure system.

Use as a structural barricade for:

- ► Creating an attractive, orderly queuing system.
- Privacy & screening areas.
- ► Securely restricting access to unauthorized areas.

Use as a prominent display for:


- ► Co-op advertising.
- ► Logos and branding.
- Signage and wayfinding.



Heavy Duty Panels

Premium construction to withstand the toughest wear and tear.





- ▶ Heavy gauge aluminum frame.
- ▶ Ideal for defining a queue line perimeter.
- Can upgrade to EZ Off End Blocks.*
- ► 'Privacy Panels' (48"W x 66"H) create or designate a booth for security areas.
- Standard tamper-proof design protects inserts.
- ▶ Ready for post-top signage.

*See page three for details

| Frame Finishes | | Insert Materials | | | |
|--|-------------------|--|--|--|--|
| | | For Direct Print: 1/4" Sintra: Black or white 1/4" Acrylic: Clear, tinted or frosted 1/4" Glass: Clear, grey or bronze tinted For Paper Inserts: | | | |
| Black Anodized | Satin Aluminum | 1/8" Acrylic (2 pcs): Clear 1/8" Clear Acrylic (1 pc) & 1/8" Black Sintra (1 pc) | | | |
| | Specs | | | | |
| Frame Material | | Aluminum | | | |
| Sizes | | 48"W x 26"H 48"W x 34"H 72"W x 26"H 72"W x 34"H 92"W x 26"H 92"W x 34"H 48"W x 66"H (Privacy Panel) | | | |
| Frame Face Width | | 2" | | | |
| Insert Thickness | | 1/8", 1/4" or 1/2" | | | |
| Custom sizes, finishes and inserts available upon request. | | | | | |

Designer Series Panels

Inserts change easily, graphics display prominently.



RETACTAGELE

Hinged frame bar lifts to slide insert along the track.



- Graphics change by simply lifting the top frame bar and sliding the insert along the track.
- ▶ Ideal for marketing or co-op advertising.
- ► Can upgrade to EZ Off End Blocks.*
- ▶ Safe and stylish rounded frame corners.
- ▶ Locking hinged top available to prevent tampering.

*See page three for details

Frame Finishes

| Smooth Black (SB) | For Direct Print: 1/4" Sintra: Black or white 1/4"Acrylic: Clear, tinted or frosted | | | |
|--|--|--|--|--|
| Polished Aluminum (PC) | For Paper Inserts: 1/8" Acrylic (2 pcs): Clear 1/8" Clear Acrylic (1 pc) & 1/8" Black Sintra (1pc) | | | |
| Polished Brass Aluminum (PB) | | | | |
| Specs | | | | |
| Frame Material | Aluminum | | | |
| Sizes | 48"W x 25"H 48"W x 33"H 72"W x 25"H 72"W x 33"H | | | |
| Frame Face | 3/4" | | | |
| Insert Thickness | 1/8" or 1/4" | | | |
| Custom sizes, finishes and inserts available upon request. | | | | |

Insert Materials

Top Beam Panels

Lightweight, durable and very easy to install.





- ► The panel simply fits onto a Single Line post for a quick and easy installation.
- EZ Off End Blocks comes standard.*
- ▶ The most economical option in our Panel line.
- Recommended with our support bungees, which secure the bottom of the panel to the post for added rigidity.
- Standard tamper-proof design protects inserts.

*See below for details

| Beam Finishes | Insert Materials | | | |
|---|--|--|--|--|
| Satin Aluminum Black Anodized | For Direct Print: 1/4" Sintra: Black or white 1/4" Acrylic: Clear, tinted or frosted 1/8" Durabond: Black or white | | | |
| Specs | | | | |
| Beam Material | Aluminum | | | |
| Sizes | 48"W x 24"H 48"W x 32"H 72" x 24" 72" x 32" 94"W x 24"H 94"W x 32"H | | | |
| Frame Face Width | 2" | | | |
| Insert Thickness | 1/8", 1/4" or 1/2" | | | |
| Custom sizes, finishes and inserts available upon request | | | | |

Panel Features & Options

Features

- ► *EZ Off End Blocks: A panel attachment that allows easy removal from the post. Required when using panels with Mini Socket, Magnetic, Fixed or Removable mounted posts.
- ► Suction Cup Baseweight available: Recommended with portable bases to prevent Post-N-Panel system from moving throughout the day.
- Dual Line posts are recommended with all panel systems, however Single Line posts can be used for smaller panels in light traffic areas or when cost is a concern.
- Optional Bungee Panel Support: Required when panels are used outdoors with Single Line posts.
- ► Panels easily integrate with RETRACTA-BELT® stanchions: Visit our website for more information about post styles.
- ► All panels and finishes are suitable for outdoor use: When choosing a post style, select an outdoor finish.
- Hundreds of powder-coated colors available.
- ▶ 10 year warranty.



Attachment Options



Standard Attachment Creates an interlocking wall to prevent tampering of intermediate panels.







EZ Off End Block Attachment Model # SUB-EZ2 (for Single Line Posts) Model # SUB-EZ4 (for Dual Line Posts) Allows easy removal of intermediate panels.




Optional Locking Clips: Model # SUB-EZLOCK Top EZ Off End Blocks will have rotating lock to secure panel to posts.

Specs







Heavy Duty Panel

| Model # | Frame Size | Insert Size | Viewable Area | Center To Center |
|---------|---------------|----------------|------------------|---------------------|
| PNL4826 | 48" x 26" | 45.5" x 23.5" | 44" x 22" | 50.75" |
| PNL4834 | 48" x 34" | 45.5" x 31.5" | 44" x 30" | 50.75" |
| PNL7226 | 72" x 26" | 69.5" x 23.5" | 68" x 22" | 74.75" |
| PNL7234 | 72" x 34" | 69.5" x 31.5" | 68" x 30" | 74.75" |
| PNL9226 | 92" x 26" | 89.5" x 23.5" | 88" x 22" | 94.75" |
| PNL9234 | 92" x 34" | 89.5" x 31.5" | 88" x 30" | 94.75" |
| PNL4866 | 48" x 66" | 45.5" x 63.5" | 44" x 62" | 50.75" |

Designer Series Panel

| Model # | Frame Size | Insert Size | Viewable Area | Center To Center |
|-----------|---------------|----------------|------------------|---------------------|
| PNLDS4825 | 48" x 24.5" | 47" x 23.5" | 46.5" x 23" | 50.75" |
| PNLDS4833 | 48" x 32.5" | 47" x 31.5" | 46.5" x 31" | 50.75" |
| PNLDS7225 | 72" x 24.5" | 71" x 23.5" | 69.5" x 23" | 74.75" |
| PNLDS7233 | 72" x 32.5" | 71" x 31.5" | 69.5" x 31" | 74.75" |

Top Beam Panel

| Model # | Frame Size | Insert Size | Viewable Area | Center To Center |
|-----------|---------------|----------------|------------------|---------------------|
| PNLTB4824 | 48" x 24" | 46" x 23" | 46" x 22.25" | 50.75" |
| PNLTB4832 | 48" x 32" | 46" x 31" | 46" x 30.25" | 50.75" |
| PNLTB7224 | 72" x 24" | 70" x 23" | 70" x 22.25" | 74.75" |
| PNLTB7232 | 72" x 32" | 70" x 31" | 70" x 30.25" | 74.75" |
| PNLTB9424 | 94" x 24" | 92" x 23" | 92" x 22.25" | 96.75" |
| PNLTB9432 | 94" x 32" | 92" x 31" | 92" x 30.25" | 96.75" |

| | Heavy Duty Panel | Designer Series Panel | Top Beam Panel |
|--|--|---|--|
| Summary | Durable, heavy gauge aluminum frame | Easily changeable graphics, ideal for marketing & signage. | Lightweight, yet durable. Very easy to set up. |
| Standard Sizes | 48"W x 26"H 48"W x 34"H 72"W x 26"H 72"W x 34"H 92"W x 26"H 92"W x 34"H 48"W x 66"H (Privacy Panel) | 48"W x 25"H 48"W x 33"H 72"W x 25"H 72"W x 33"H | 48"W x 24"H 48"W x 32"H 72"W x 24"H 72"W x 32"H 94"W x 24"H 94"W x 32"H |
| Insert Thickness | 1/8", 1/4" or 1/2" | 1/8" or 1/4" | 1/8", 1/4" or 1/2" |
| Standard Insert Materials | 1/4" Sintra: Black or White 1/4" Acrylic: Clear, tinted or frosted 1/8" Acrylic (2 pcs): Clear 1/8" Clear Acrylic (1 pc) & 1/8" Black Sintra (1pc) 1/4" Clear, grey or bronze tinted glass | 1/4" Sintra: Black or White 1/4" Acrylic: Clear, tinted or frosted 1/8" Acrylic (2 pcs): Clear 1/8" Clear Acrylic (1 pc) & 1/8" Black Sintra (1pc) | 1/4" Sintra: Black or White 1/4" Acrylic: Clear, tinted or frosted 1/8" Durabond: Black or White |
| Ease of Insert Change | Moderate: Remove panel from posts, remove 4 screws from sides and lift top beam | Easy: Leave panel connected and lift top bar | Moderate: Leave panel connected and remove 4 screws from face |
| Weight of Smallest Panel w/ 1/4" Sintra | 17 lbs. | 11 lbs. | 10 lbs. |
| Durability | Strong | Moderate | Strong |
| Installation/ Setup | Moderate (Easy when end blocks are added) | Moderate (Easy when end blocks are added) | Easy |
| Post Mount Sign Compatibility | Ready for signage | Requires adapter for signage | Ready for signage |
| Mating Post Styles | Single Line: 26" or 34" height, width < 48" Dual Line: 26", 34" or 66" height (required for heavy usage) | Single Line: 25" or 33" height Dual Line: 33" height (required for heavy usage) | Single line |
| Standard Finishes | Black Anodized or Satin Aluminum | Black Aluminum, Polished Aluminum, Polished Brass Aluminum | Black Anodized or Satin Aluminum |
| Price | \$\$\$ | ss | \$ |
| Tamper-Proof Inserts | Included | Optional (2 screws, Model # SUB-LOCK2) | Included |
| EZ Off End Blocks* | Optional: choose 2 or 4 blocks based on post design | Optional: choose 2 or 4 blocks based on post design | Includes 2 top blocks |

^{*}Two Blocks: (SUB-EZ2), Four Blocks: (SUB-EZ4) Optional Locking Clips (SUB-EZLOCK): Top clips will have rotating lock to secure panel to posts.